


PLAN KEYNOTES (BY DIVISION)


- DIVISION 03 - CONCRETE**
 03-01 RAISE FLOOR OF ROOM TO MATCH CORRIDOR LANDING ELEVATION (APPROXIMATELY 5 3/8" ABOVE EXISTING SECOND FLOOR) WITH STANDARD WEIGHT CONCRETE.
 03-02 TOP OF SHOWER FLOOR DRAIN + 3/8" BELOW ADJACENT FINISHED FLOOR. SLOPE CONCRETE FLOOR IN SHOWER TO DRAIN (1:50 SLOPE MAXIMUM).
- DIVISION 04 - MASONRY**
 04-01 NEW 8" CMU ENCLOSURE AROUND NEW DIVISION 23 PIPING.
 04-02 REPLACE 8" CMU AFTER MEP WORK UNDER LANDING IS COMPLETE (1 HR MIN).
- DIVISION 05 - METALS**
 05-01 STEEL LADDER PER SPEC SECTION 055200. SPANS FROM SECOND OR THIRD FLOOR TO 3'-6" ABOVE THE MEZZANINE LEVEL ABOVE.
 05-02 AT LOCATIONS IN CHASE THAT PROVIDE LESS THAN 16" CLEAR WIDTH, PROTECT STRUCTURAL FRAME FIREPROOFING BETWEEN 24" AND 54" ABOVE FLOOR WITH 26 GA BREAK METAL.
- DIVISION 08 - OPENINGS**
 08-01 NEW INSULATED ALUMINUM COILING DOOR. BOTH DOOR AND HOUSING CAPABLE OF RESISTING THE PASSAGE OF SMOKE. DOOR TO LOWER UPON ACTIVATION OF BUILDING FIRE SUPPRESSION SYSTEM OR FIRE ALARM.
 08-02 NEW DETENTION ALUMINUM WINDOWS.
 08-03 NEW INSULATED ALUMINUM CURTAIN WALL SYSTEM.
 08-04 WALL AND OPENINGS ADJACENT TO BRIDGE TO RESIST THE PASSAGE OF SMOKE PER IRC SECTION 3104.5 EXCEPTION 1.
 08-05 NEW HOLLOW METAL DOOR AND FRAME.
 08-06 POWER DOOR PUSH BUTTON ACTUATOR.
 08-07 WALL MOUNT ACCESS PANEL. SIZE IN INCHES SPECIFIED NEXT TO KEYNOTE.
- DIVISION 09 - FINISHES**
 09-02 PAINT AND WALL BASE. SEE FINISH SCHEDULE.
 09-03 PATCH AND REPAIR WALL AND FLOOR.
 09-04 INFILL WALL AND PREP FOR NEW DOOR AND FRAME.
 09-05 NEW CMU WALLS AND RESINOUS EPOXY FINISH ON FLOORS AND WALLS OF SHOWERS. COORDINATE WITH PLUMBING SCOPE OF WORK. DELETE BY BID ALTERNATE 6.
 09-06 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO ENTRY FLOOR.
 09-07 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO FIRST FLOOR.
- DIVISION 12 - FURNISHINGS**
 12-01 72" x 18" D x 18" H, POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RING BOLTED TO FLOOR.
 12-02 96" x 18" D x 18" H, POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RING BOLTED TO FLOOR.
- NOTE:**
 NOT ALL KEYNOTES APPLY TO EVERY SHEET.

SEE SHEET A1.0.1 FOR TYPICAL PLAN GENERAL NOTES



KEY PLAN
 SCALE: NO SCALE


1 FIRST FLOOR PLAN REMODEL-SOUTH
 Scale: 1/8" = 1'-0"



PLAN KEYNOTES (BY DIVISION)


- DIVISION 03 - CONCRETE**
03-01 RAISE FLOOR OF ROOM TO MATCH CORRIDOR LANDING ELEVATION (APPROXIMATELY 5 3/8" ABOVE EXISTING SECOND FLOOR) WITH STANDARD WEIGHT CONCRETE.
03-02 TOP OF SHOWER FLOOR DRAIN + 3/8" BELOW ADJACENT FINISHED FLOOR SLOPE CONCRETE FLOOR IN SHOWER TO DRAIN (1:50 SLOPE MAXIMUM).
- DIVISION 04 - MASONRY**
04-01 NEW 8" CMU ENCLOSURE AROUND NEW DIVISION 23 PIPING.
04-02 REPLACE 8" CMU AFTER MEP WORK UNDER LANDING IS COMPLETE (1 HR MIN).
- DIVISION 05 - METALS**
05-01 STEEL LADDER PER SPEC SECTION 055900. SPANS FROM SECOND OR THIRD FLOOR TO 3'-0" ABOVE THE MEZZANINE LEVEL ABOVE.
05-02 AT LOCATIONS IN CHASE THAT PROVIDE LESS THAN 16" CLEAR WIDTH, PROTECT STRUCTURAL FRAME FIREPROOFING BETWEEN 24" AND 54" ABOVE FLOOR WITH 25 GA BREAK METAL.
- DIVISION 08 - OPENINGS**
08-01 NEW INSULATED, ALUMINUM COLLING DOOR. BOTH DOOR AND HOUSING CAPABLE OF RESISTING THE PASSAGE OF SMOKE. DOOR TO LOWER UPON ACTIVATION OF BUILDING FIRE SUPPRESSION SYSTEM OR FIRE ALARM.
08-02 NEW DETENTION ALUMINUM WINDOWS.
08-03 NEW INSULATED ALUMINUM CURTAIN WALL SYSTEM.
08-04 WALL AND OPENINGS ADJACENT TO BRIDGE TO RESIST THE PASSAGE OF SMOKE PER IBC SECTION 7104.5 EXCEPTION 1.
08-05 NEW HOLLOW METAL DOOR AND FRAME.
08-06 POWER DOOR PUSH BUTTON ACTUATOR.
08-07 WALL MOUNT ACCESS PANEL. SIZE IN INCHES SPECIFIED NEXT TO KEYNOTE.
- DIVISION 09 - FINISHES**
09-02 PAINT AND WALL BASE. SEE FINISH SCHEDULE.
09-03 PATCH AND REPAIR WALL AND FLOOR.
09-04 INFILL WALL AND PREP FOR NEW DOOR AND FRAME.
09-05 NEW CMU WALLS AND RESINOUS EPOXY FINISH ON FLOORS AND WALLS OF SHOWERS. COORDINATE WITH PLUMBING SCOPE OF WORK. DELETE BY BID ALTERNATE 6.
09-06 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO ENTRY FLOOR.
09-07 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO FIRST FLOOR.
- DIVISION 12 - FURNISHINGS**
12-01 72"L x 18"D x 18"H, POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RING; BOLTED TO FLOOR.
12-02 90"L x 18"D x 18"H, POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RING; BOLTED TO FLOOR.
- NOTE:**
NOT ALL KEYNOTES APPLY TO EVERY SHEET.

SEE SHEET A1.0.1 FOR TYPICAL PLAN GENERAL NOTES




4/25/2017 10:23:10 AM
Bent Jellison Consulting, LLC & John A. Comer 0013141024, Nelson County and 0010101010

1 FIRST FLOOR PLAN REMODEL-NORTH
Scale: 1/8" = 1'-0"




KEY PLAN
SCALE: NO SCALE





4/25/2017 10:42:21 AM
C:\Users\user\Documents\10410111.dwg

1 SECOND FLOOR PLAN - TELECOMMUNICATIONS
1/8" = 1'-0"



KEY PLAN
SCALE: NO SCALE


Limited Access and Secured Areas:

ENTRY CONTROL

Restrict entrance of persons and vehicles [REDACTED]

Allow entrance only to [REDACTED].

Maintain log of workers and visitors, make available to Owner on request.



PERSONNEL IDENTIFICATION

Coordinate with Owner to provide identification badge to each person authorized to enter premises.

Badge to Include [REDACTED]

Maintain a list of accredited persons, submit a copy to Owner on request.



PERSONNEL SECURITY REQUIREMENTS

The Contractor shall require all employees working within the secure area to:

Identification-Based History Records Information Check (also referred to as a “background check or investigation”) are required of all Contractor’s employees or agents of the Contractor having any potential for access to the Project site.

The Contractor shall cause their employee or agent to obtain a background check. The McLean County Sheriff’s Department will provide background check services for employees and agents of the Contractor according to the following procedures:

The Contractor notifies the COUNTY of all applicants requiring background checks.

The Contractor submits a background check release letter and legible copy of employee or agent State issued identification card.

The COUNTY shall review the background check reports to determine eligibility of employees or agents of the Contractor to work on the Project site. Review by the COUNTY will also include any convictions of felony crimes.

The Contractor shall await the COUNTY’s background check review and notification of Approval by the COUNTY of said employee or agent BEFORE sending any said employee or agent to the Project site.

Exhibit #4

The COUNTY will receive notification of changes to an employee's or agent's background status, throughout the duration of the Project. The COUNTY shall notify the Contractor should any of the Contractor's employees or agents subsequently be discovered to be ineligible to work on the Project site. The Contractor shall then cease to send said employee or agent to work on the Project site for the duration of the Project.

The COUNTY shall provide a copy of the background check report to the Contractor's individual employee or agent. Copies of an employee's or agent's background check reports shall not be released to the Contractor.

SPECIAL PROVISION FOR WAGES OF EMPLOYEES ON PUBLIC WORKS

1. Prevailing Wages. All wages paid by the Contractor and each subcontractor shall be in compliance with The Prevailing Wage Act (820 ILCS 130), as amended, except where a prevailing wage violates a federal law, order, or ruling, the rate conforming to the federal law, order, or ruling shall govern. The Illinois Department of Labor publishes the prevailing wage rates on its website. If the Illinois Department of Labor revises the prevailing wage rates, the revised prevailing wage rates on the Illinois Department of Labor's website shall apply to this contract and the Contractor will not be allowed additional compensation on account of said revisions. The Contractor shall review the wage rates applicable to the work of the contract at regular intervals in order to ensure the timely payment of current wage rates. The Contractor agrees that no additional notice is required. The Contractor shall be responsible to notify each subcontractor of the wage rates set forth in this contract and any revisions thereto.

2. Payroll Records. The Contractor and each subcontractor shall make and keep, for a period of not less than five years from the date of the last payment on a contract or subcontract, records of all laborers, mechanics, and other workers employed by them on the project; the records shall include information required by 820 ILCS 130/5 for each worker. Upon seven business days' notice, the Contractor and each subcontractor shall make available for inspection and copying at a location within this State during reasonable hours, the payroll records to the public body in charge of the project, its officers and agents, the Director of Labor and his deputies and agents, and to federal, State, or local law enforcement agencies and prosecutors.

3. Submission of Payroll Records. The Contractor and each subcontractor shall, no later than the 15th day of each calendar month, file a certified payroll for the immediately preceding month with the public body in charge of the project, except that the full social security number and home address shall not be included in weekly transmittals. Instead the payrolls shall include an identification number for each employee (e.g., the last four digits of the employee's social security number). The certified payroll shall consist of a complete copy of the payroll records, except starting and ending times of work each day may be omitted.

The certified payroll shall be accompanied by a statement signed by the Contractor or subcontractor or an officer, employee, or agent of the Contractor or subcontractor which avers that: (i) he or she has examined the certified payroll records required to be submitted by the Act and such records are true and accurate; (ii) the hourly rate paid to each worker is not less than the general prevailing rate of hourly wages required; and (iii) the Contractor or subcontractor is aware that filing a certified payroll that he or she knows to be false is a Class A misdemeanor.

4. Employee Interviews. The Contractor and each subcontractor shall permit his/her employees to be interviewed on the job, during working hours, by compliance investigators of the County or the Department of Labor.

████████ FLOOR EQUIPMENT TO BE PROVIDED:

- 16 Video Visitation Systems to be installed in DE25 Units detailed in Exhibit 2 (DE25)
- 2 Inmate Telephone Systems to be wall mounted (IMS)
- All necessary switches and ancillary equipment to be installed in Video Visitation Equipment Room (shown in orange)

████████ FLOOR EQUIPMENT TO BE PROVIDED:

- 2 Video Visitation Systems to be installed in DE04 Units detailed in Exhibit 2 (DE04)
- 3 Video Visitation Systems to be installed in DE06 Units detailed in Exhibit 2 (DE06)
- 2 Portable Video Visitation Systems to be installed on a portable housing with wheels to be provided by VENDOR
- 5 Video Visitation System wall jacks that the Portable Video Visitation Systems can be plugged into (PUP)
- 4 Inmate Telephone Systems to be installed in DE05 Units detailed in Exhibit 2 (DE05)
- 10 Inmate Telephone Systems to be wall mounted (IMS)
- 8 Inmate Non-Contact Telephone Systems (face-to-face) to be wall mounted (P1)
- All necessary switches and ancillary equipment to be installed in IT Room (shown in orange)

████████ FLOOR ██████████ EQUIPMENT TO BE PROVIDED:


- 2 Video Visitation Systems to be installed in DE06 Units detailed in Exhibit 2 (DE06)

████████ FLOOR EQUIPMENT TO BE PROVIDED:

- 4 Video Visitation Systems to be installed in DE04 Units detailed in Exhibit 2 (DE04)
- 2 Video Visitation Systems to be installed in DE06 Units detailed in Exhibit 2 (DE06)
- 2 Portable Video Visitation Systems to be installed on a portable housing with wheels to be provided by VENDOR
- 4 Video Visitation System wall jacks that the Portable Video Visitation Systems can be plugged into (PUP)
- 8 Inmate Telephone Systems to be installed in DE05 Units detailed in Exhibit 2 (DE05)
- 3 Inmate Telephone Systems to be wall mounted (IMS)
- 8 Inmate Non-Contact Telephone Systems (face-to-face) to be wall mounted (P1)
- All necessary switches and ancillary equipment to be installed in IT Room (shown in orange)


Copyright © 2014 by the
City of San Francisco
All rights reserved.

A
B
C
D
E
F
G
H
I
J
K
L
M
N




UP

EXHIBIT 1 - PAGE 1




1 SECOND LEVEL PLAN - TELECOMMUNICATIONS
1/8" = 1'-0"




4/2/2017 11:04:43 AM
C:\Users\land\OneDrive\Documents\2017\1701\1701.mxd

N
M
L
K
J
I
H
G
F
E
D
C
B
A




1- Page 3


1 SECOND LEVEL MEZZANINE PLAN - TELECOMMUNICATIONS
1/8" = 1'-0"



202209 12:44 PM
C:\Users\m\OneDrive\Documents\122209\122209.dwg



1 THIRD LEVEL PLAN - TELECOMMUNICATIONS
1/8" = 1'-0"



Page 4




Exhibit C-86002

LEGS TO BE METALLIC SILVER

EXHIBIT 2-PAGE 3




EXHIBIT 2 - PAGE 4




EXHIBIT 2- PAGES

LEGS TO BE METALLIC SILVER






EXHIBIT 2-PAGE 6



LEGS TO BE METALLIC SILVER

PXUR17 2-PAGE 7



LEGS TO BE METALLIC SILVER





Exhibit 2- Pacs 10



█ FLOOR (EXISTING) EQUIPMENT TO BE PROVIDED:

- 3 Video Visitation Systems to be wall mounted in housing provided by VENDOR (VV)
- 3 Inmate Telephone Systems to be wall mounted (IMS)

█ FLOOR (EXISTING) EQUIPMENT TO BE PROVIDED:

- 5 Video Visitation Systems to be wall mounted in housing provided by VENDOR (VV)
- 9 Video Visitation Systems to be counter top mounted in housing provided by VENDOR (VV)
- 17 Inmate Telephone Systems to be wall mounted (IMS)
- 6 Inmate Non-Contact Telephone Systems (face-to-face) to be wall mounted (P1)
- All necessary switches and ancillary equipment to be installed in Phone Office (shown in orange)